	SUBSTITUTE FORM PTO-1449	PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
	(MODIFIED)		Serial No.	10/564,744
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
			Filing Date	March 3, 2006
			Group	1654
	(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

U.S. PATE		U.S. PATE	NT DOCUMENTS
Examiner's Initials	Document Number	Publication Date	Patentee or Applicant
	4,086,196	Apr. 25, 1978	Tregear
	4,366,241	Dec. 28, 1982	Tom et al.
	4,423,037	Dec. 27, 1983	Rosenblatt et al.
	4,511,502	Apr. 16, 1985	Builder et al.
	4,512,922	Apr. 23, 1985	Jones et al.
	4,518,526	May 21, 1985	Olson
	4,620,948	Nov. 4, 1986	Builder et al.
	4,698,328	Oct. 6, 1987	Neer et al.
	4,736,866	Apr. 12, 1988	Leder et al.
	4,761,406	Aug. 2, 1988	Flora et al.
	4,843,000	Jun. 27, 1989	Litman et al.
	4,849,338	Jul. 18, 1989	Litman et al.
	5,010,010	Apr. 23, 1991	Gautvik et al.
	5,208,041	May 4, 1993	Sindrey
	5,217,896	Jun. 8, 1993	Kramer et al.
	5,227,487	Jul. 13, 1993	Haughland et al.
	5,274,113	Dec. 28, 1993	Kang et al.
	5,326,692	Jul. 5, 1994	Brinkley et al.
	5,350,836	Sep. 27, 1994	Kopchick et al.
	5,382,658	Jan. 17, 1995	Kronis et al.
	5,393,869	Feb. 28, 1995	Nakagawa et al.

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

U.S. PATE		NT DOCUMENTS
5,405,975	Apr. 11, 1995	Kuhn et al.
5,433,896	Jul. 18, 1995	Kang et al.
5,442,045	Aug. 15, 1995	Haugland et al.
5,451,663	Sep. 19, 1995	Kang et al.
5,453,517	Sep. 26, 1995	Kuhn et al.
5,457,034	Oct. 10, 1995	della Valle et al.
5,459,276	Oct. 17, 1995	Kuhn et al.
5,462,856	Oct. 31, 1995	Lerner et al.
5,496,801	Mar. 5, 1996	Holthuis et al.
5,501,979	Mar. 26, 1996	Geller et al.
5,516,864	May 14, 1996	Kuhn et al.
5,527,772	Jun. 18, 1996	Holick
5,556,940	Sep. 17, 1996	Willick et al.
5,573,909	Nov. 12, 1996	Singer et al.
5,578,461	Nov. 26, 1996	Sherwin et al.
5,589,452	Dec. 31, 1996	Krstenansky et al.
5,605,815	Feb. 25, 1997	Broadus et al.
5,616,560	Apr. 1, 1997	Geddes et al.
5,648,270	Jul. 15, 1997	Kuhn et al.
5,656,465	Aug. 12, 1997	Panicali et al.
5,693,616	Dec. 2, 1997	Krstenansky et al.
5,695,955	Dec. 9, 1997	Krstenansky et al.
5,717,062	Feb. 10, 1998	Chorev et al.

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

DATE CONSIDERED

**EXAMINER** 

SUBSTITUTE FORM PTO-1449	PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

U.S. PATE		IT DOCUMENTS
5,723,218	Mar. 3, 1998	Haugland et al.
5,723,577	Mar. 3, 1998	Dong
5,741,486	Apr. 21, 1998	Pathak et al.
5,763,416	Jun. 9, 1998	Bonadio et al
5,798,225	Aug. 25, 1998	Krstenansky et al.
5,807,823	Sep. 15, 1998	Krstenansky et al.
5,821,225	Oct. 13, 1998	Vickery
5,836,905	Nov. 17, 1998	Lemelson et al.
5,840,690	Nov. 24, 1998	Holick
5,840,837	Nov. 24, 1998	Krstenansky et al.
5,854,004	Dec. 29, 1998	Czernilofsky et al.
5,871,486	Feb. 16, 1999	Huebner et al.
5,874,086	Feb. 23, 1999	Krstenansky et al.
5,880,093	Mar. 9, 1999	Bagnoli
5,917,123	Jun. 29, 1999	McTiernan et al.
5,922,927	Jul. 13, 1999	Bujard et al.
5,977,070	Nov. 2, 1999	Piazza et al.
6,030,790	Feb. 29, 2000	Adermann et al.
6,051,686	Apr. 18, 2000	Krstenansky et al.
6,066,618	May 23, 2000	Holick
6,756,480	Jun. 29, 2004	Kostenuik et al.
7,253,264	Aug. 7, 2007	Lauffer et al.
7,572,765	Aug. 11, 2009	Gardella

EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.

DATE CONSIDERED

EXAMINER

SUBSTITUTE FORM PTO-1449	PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
		Applicant	Gardella et al.
STATEMEN	INFORMATION DISCLOSURE STATEMENT BY APPLICANT		March 3, 2006
(Use several sheets if necessary)		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

U.S. PATENT DOCUMENTS			
US 2002/0110871	Aug. 15, 2002	Zahradnik et al.	
US 2003/0144209	Jul. 31, 2003	Bringhurst et al.	
US 2003/0162256	Aug. 28, 2003	Juppner et al.	
US 2003/0166838	Sep. 4, 2003	Gardella et al.	
US 2003/0171288	Sep. 11, 2003	Stewart	
US 2004/0176285	Sep. 9, 2004	Juppner et al.	
US 2005/0124537	Jun. 9, 2005	Kostenuik et al.	
US 2005/0203012	Sep. 15, 2005	Bringhurst et al.	
US 2005/0282749	Dec. 22, 2005	Henriksen et al.	
US 2006/0078559	Apr. 13, 2006	Migeotte et al.	

	FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION			
Examiner's Document Publication Initials Number Date		Country or Patent Office	Translation (Yes/No)	
	AU 668118	Apr. 26, 1996	Australia	
	CA 2126132	Dec. 18, 1995	Canada	
	CA 2126299	Dec. 12, 2000	Canada	
	EP 0 341 962	Nov. 15, 1989	EPO	
	EP 0 464 533	Jan. 8, 1992	EPO	(Related publication provided)
	EP 0 477 885	Apr. 1, 1992	EPO	
	EP 0 561 412	Sep. 22, 1993	EPO	
	EP 0 748 817	Dec. 18, 1996	EPO	

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Applicant	Gardella et al.	
	Filing Date	March 3, 2006	
(Use several sheets if necessary)		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION			
EP 0 783 522	Jul. 16, 1997	EPO	Yes
GB 2 269 176	Feb. 2, 1994	England	
JP 58-96052	Jun. 7, 1983	JPO	(Abstract)
JP 59-204159	Nov. 19, 1984	JPO	(Abstract)
JP 5-32696	Feb. 9, 1993	JPO	(Related publication provided)
JP 9-157294	Jun. 17, 1997	JPO	(Related publication provided)
WO 87/001130	Feb. 26, 1987	WIPO	
WO 91/005050	Apr. 18, 1991	WIPO	
WO 92/001810	Feb. 6, 1992	WIPO	
WO 92/017581	Oct. 15, 1992	WIPO	
WO 92/017602	Oct. 15, 1992	WIPO	
WO 93/006121	Apr. 1, 1993	WIPO	
WO 93/006846	Apr. 15, 1993	WIPO	
WO 93/009222	May 13, 1993	WIPO	
WO 93/011257	Jun. 10, 1993	WIPO	Yes
WO 94/002510	Feb. 3, 1994	WIPO	
WO 94/012650	Jun. 9, 1994	WIPO	
WO 95/002610	Jan. 26, 1995	WIPO	
WO 95/011988	May 4, 1995	WIPO	
WO 96/003437	Feb. 8, 1996	WIPO	
WO 96/010041	Apr. 4, 1996	WIPO	Yes

	EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy form with the next communication to applicant.		if not in conformance and not considered. Include copy of this

	SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
	(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)  (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
			Filing Date	March 3, 2006
			Group	1654
			IDS Filed	March 24, 2010

FOREIGN PATENT OR PUBLISHED FOREIGN PATENT APPLICATION				
WO 96/019206	Jun. 27, 1996	WIPO		
WO 97/002834	Jan. 30, 1997	WIPO		
WO 98/005683	Feb. 12, 1998	WIPO		
WO 98/030590	Jul. 16, 1998	WIPO		
WO 99/018945	Apr. 22, 1999	WIPO		
WO 00/031137	Jun. 2, 2000	WIPO		
WO 00/031266	Jun. 2, 2000	WIPO		
WO 00/032771	Jun. 8, 2000	WIPO		
WO 00/032775	Jun. 8, 2000	WIPO		
WO 00/039278	Jul. 6, 2000	WIPO		
WO 00/040698	Jul. 13, 2000	WIPO		
WO 01/023427	Apr. 5, 2001	WIPO		
WO 01/023521	Apr. 5, 2001	WIPO		
WO 04/067021	Aug. 12, 2004	WIPO		
WO 04/093902	Nov. 4, 2004	WIPO		
WO 05/009358	Feb. 3, 2005	WIPO		

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Abou-Samra et al., 'Phorbol 12-Myristate 13-Acotate and Vasopressin Potentiate the Effect of Corticotropin- Releasing Factor on Cyclic AMP Production in Rat Anterior Pituitary Cells. Mechanisms of Action," J. Biol. Chem. 2
Abou-Samra et al., "Non-Homologous Sequences of Parathyroid Hormone and the Parathyroid Hormone Related Peptide Bind to a Common Receptor on ROS 17/2.8 Cells," <i>Endocrinology</i> 125: 2215-2217 (1989).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

t.
and
37
ger
tide
55-
oid J.

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449			00786/540002
(MODIFIED)			10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Becker et al., "Procedure Guideline for Thyrold Scintigraphy: 1.0. Society of Nuclear Medicine," J. Nucl. Med. 37: 1264-1266 (1996).
Behar et al., "Histidine at Position 5 is the Specificity "Switch" between Two Parathyroid Hormone Receptor Subtypes," Endocrinology 137: 4217-4224 (1996).
Bergwitz et al., "Residues in the Membrane-spanning and Extracellular Loop Regions of the Parathyroid Homone (PTH)-2 Receptor Determine Signaling Selectivity for PTH and PTH-Related Peptide," J. Biol. Chem. 272, 2861-2868 (1997).
Bergwitz et al., "dentification, Functional Characterization, and Developmental Expression of Two Nonalielic Parathyroid Hornone (PTH)PTH-Related Peptide Receptor Isoforms in Xenopus faevis (Daudin)," Endocrinology 189: 723-722 (1989).
Berlot, "A Highly Effective Dominant Negative Alpha's Construct Containing Mutations that Affect Distinct Functions Inhibits Multiple Gs-Coupled Receptor Signaling Pathways," J. Biol. Chem. 277: 21080-21085 (2002).
Bettoun et al., "Cloning and Characterization of the Promoter Regions of the Human Parathyroid Hormone (PTH)/FTH-Related Peptide Receptor Gene: Analysis of Deoxynbonucleis Add from Normal Subjects and Paleints with Pseudoripoparathyroidism Type 10," J. Cliff. Endocrind. Melat 8.2: 1301-11404 (1997).
Bettoun et al., "Developmental Upregulation of Human Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor Gene Expression from Conserved and Human-specific Promoters," J. Clin. Invest. 102: 958-967 (1996).
Bisello et al., "Selective Ligand-Induced Stabilization of Active and Desensitized Parathyroid Hormone Type 1 Receptor Conformations," J. Biol. Chem. 277: 38524-38530 (2002).
Bork et al., "Go Hunting in Sequence Databases but Watch Out for the Traps," Trends Genet. 12: 425-427 (1996).
Bork, "Powers and Pitfalls in Sequence Analysis: The 70% Hurdle," Genome Res. 10: 398-400 (2000).
Born et al., "Inhibition of Parathyroid Hormone Bioactivity by Human Parathyroid Hormone (PTH)-(3-84) and PTH-(8-84) Synthesized in Escherichia coli," <i>Endocrinology</i> 123:1848-1853 (1988).
Bos et al., "Expression of the Parathyroid Hormone Receptor and Correlation with Other Osteoblastic Parameters in Fetal Rat Osteoblasts," Calcif. Tisse Int. 58:95-100 (1996).
Brenner, "Errors in Genome Annotation," Trends Genet. 15: 132-133 (1999).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Bringhurst et al., "Cloned, Stably Expressed Parathyroid Hormone (PTH)/PTH-Related Peptide Receptors Activate Multiple Messenger Signals and Biological Responses in LLC-PK1 Kidney Cells," <i>Endocrinology</i> 132: 2205-2208 (1986).
Broadus et al., "Parathyroid Hormone-Related Protein: Structure, Processing, and Physiological Actions," in: <i>The Parathyroids</i> (eds. J. P. Bilezikan et al.), pp. 259-294 (Raven Press Ltd., New York, NY, 1994).
Bryant et al., "Helix-Inducing α-Aminoisobutyric Acid in Opioid Mimetic Deltorphin C Analogues," J. Med. Chem. 40: 2579-2587 (1997).
Bundi et al., "Characterisation of a Local Structure in the Synthetic Parathyroid Hormone Fragment 1-34 by 1H Nuclear-Magnetic-Resonance Techniques," <i>Eur. J. Biochem.</i> 91: 201-208 (1978).
Campbell et al., "Totipotency or Multipotentiality of Cultured Cells: Applications and Progress," <i>Theriogenology</i> 47: 63-72 (1997).
Carter et al., "Studies of the N-Terminal Region of a Parathyroid Hormone-Related Peptide(1-36) Analog: Receptor Subtype-Salective Agonists, Antagonists, and Photochemical Cross-Linking Agents," <i>Endocrinology</i> 11d- 4972
Castro et al., "Dual Regulation of the Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor Signaling by Protein Kinase C and Beta-Arrestins," Endocrinology 143: 3854-3865 (2002).
Castro et al., "Turn-On Switch in Parathyroid Hormone Receptor by a Two-Step Parathyroid Hormone Binding Mechanism," Proc. Natl. Acad. Sci. USA 102: 16084-16089 (2005).
Catanzariti et al., "A Novel Expression System for Gs-Coupled Receptors," BioTechniques 15: 474-479 (1993).
Caulfield et al., 'The Bovine Renal Parathyroid Hormone (PTH) Receptor has Equal Affinity for Two Different Amino Acid Sequences: The Receptor Boring Domains of PTH and PTH-related Protein are Located within the 14-34 Region, "Encoranology 127, 83-97 (1990).
Caulfield et al., "Parathyroid Hormone-Receptor Interactions," Trends Endocrinol. Metab. 1: 164-168 (1990).
Cervini et al., "Human Growth Hormone-Releasing hGHRH(1-29)-NH2: Systematic Structure-Activity Relationship Studies," J. Med. Chem. 41: 717-727 (1998).
Chakrabartty, "Large Differences in the Helix Propensities of Alanine and Glycine," Nature 351: 586-588 (1991).

EXAMINER	DATE CONSIDERED	
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this	_

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
	nakravarrhy et al., "Parathyroid Hormone Fragment [3-34] Stimulates Protein Kinase C (PKC) Activity in Rat steosarcoma and Murine T-lymphoma Cells," <i>Biochem. Biophys. Res. Commun.</i> 171: 1105-1110 (1990).
Ch	nauvin et al., "Parathyroid Hormone Receptor Recycling: Role of Receptor Dephosphorylation and Beta- restin," Mol. Endocrinol. 16: 2720-2732 (2002).
Ch To	norev et al., "Modifications of Position 12 in Parathyroid Hormone and Parathyroid Hormone Related Protein: ward the Design of Highly Potent Antagonists," <i>Biochemistry</i> 29: 1580-1586 (1990).
Ch Sid	norev et al., "Cyclic Parathyroid Hormone Related Protein Antagonists: Lysine 13 to Aspartic Acid 17 [i to (i + 4)] de Chain to Side Chain Lactamization," <i>Biochemistry</i> 30: 5968-5974 (1991).
	nu et al., "Porcine Proparathyroid Hormone. Identification, Biosynthesis, and Partial Amino Acid Sequence," schemistry 14: 3631-3635 (1975).
	vitelli et al., "PTH Elevates Inositol Polyphosphates and Diacy(glycerol in a Rat Osteoblast-Like Cell Line," Am. Physiol. 255: E660-667 (1988).
Civ Ce	vitelli et al., "Parathyroid Hormone-Related Peptide Transiently Increases Cytosolic Calcium in Osteoblast-Like lls: Comparison with Parathyroid Hormone," <i>Endocrinology</i> 125: 1204-1210 (1989).
Co	hen et al., "Analogues of Parathyroid Hormone Modified at Positions 3 and 6. Effects on Receptor Binding d Activation of Adenylyl Cyclase in Kidney and Bone," <i>J. Biol. Chem.</i> 266: 1997-2004 (1991).
Ce	ie et al., "Regulation of Sodium-Dependent Phosphate Transport by Parathyroid Hormone in Opossum Kidney ils: Adenosine 3', 5'-Monophosphate-Dependent and -Independent Mechanisms," <i>Endocrinology</i> 122: 2981- 99 (1986).
	Iquhoun, "Binding, Gating, Affinity, and Efficacy, The Interpretation of Structure-Activity Relationships for onists and of the Effects of Mutating Receptors," <i>Br. J. Pharmacol.</i> 125: 924-947 (1998)
Cw 169	viria et al., "Peptide Agonist of the Thrombopoletin Receptor as Potent as the Natural Cytokine," Science 276: 96-1699 (1997).
Da	ng et al., "Gene Therapy and Translational Cancer Research," Clin. Cancer Res. 5: 471-474 (1999).
Da Fac	utzenberg et al., "Mapping of the Ligand-Selective Domain of the Xenopus laevis Corticotropin-Releasing ctor Receptor 1: Implications for the Ligand-Binding Site," Proc. Natl. Acad. Sci. USA 95: 4941-4946 (1998),
De An	Almeida et al., "Identification of Binding Domains of the Growth Hormone-Releasing Hormone Receptor by alysis of Mutant and Chimeric Receptor Proteins," Mol. Endocrinol. 12: 750-765 (1998).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEFARTIMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
	Applicant	Gardella et al.	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

	OTHER DOCUMENTS (INCLUDING AUTH	HOR, TITLE, DATE, PLACE OF PUBLICATION)
	Dean et al., "Mechanisms of Ligand Binding to Selectivity of a Modified PTH(1-15) Radioligan 20: 931-943 (2006).	the Parathyroid Hormone (PTH)/PTH-Related Protein Receptor: ad for GalphaS-Coupled Receptor Conformations," <i>Mol. Endocrino</i>
	Ding et al., "A Single Amino Acid Determines t 213-223 (2000).	the Immunostimulatory Activity of Interleukin 10," J. Exp. Med. 191
	Doerks et al., "Protein Annotation: Detective V	Vork for Function Prediction," Trends Genet. 14: 248-250 (1998).
	Dohlman et al., "Model Systems for the Study Biochem. 60: 653-688 (1991).	of Seven-Transmembrane-Segment Receptors," Annu. Rev.
	Donahue et al., "Differential Effects of Parathy cAMP Levels in Cultured Rat Osteoblast-Like	roid Hormone and its Analogues on Cytosolic Calcium Ion and Cells," <i>J. Biol. Chem.</i> 263: 13522-13527 (1988).
		tion between Residue 22 in the Carboxyl-Terminal Half of Secretir eceptor Using Photoaffinity Labeling," <i>J. Biol. Chem.</i> 274: 903-905
	Dunlay et al., "PTH Receptor Coupling to Phos Bone and Kidney," Am. J. Physiol. 258: F223-I	spholipase C is an Alternate Pathway of Signal Transduction in F231 (1990).
	Ebert et al., "A Moloney MLV-Rat Somatotropii Transgenic Pig," Mol. Endocrinol. 2: 277-283 (	n Fusion Gene Produces Biologically Active Somatotropin in a 1988).
	Epand, "Relationships Among Several Differer 57: 41-47 (1983).	nt Non-Homologous Polypeptide Hormones," Mol. Cell Biochem.
		mmunological Characterization of Antibodies Against a Glandular gments 1-12 and 1-34 and their Use in the Determination of <i>Clin. Invest.</i> 54: 1382-1394 (1974).
	Freyaldenhoven et al., "Protein Kinase C Diffein Osteoblast-Like Cells," Am. J. Physiol. 262:	rentially Modulates PTH- and PGE2 -Sensitive Adenylate Cyclase E87-E95 (1992).
	Fujimori et al., "Dissociation of Second Messer Osteosarcoma Cells," Endocrinology 128: 303	nger Activation by Parathyroid Hormone Fragments in 2-3039 (1991).
Fujimori et al., "Structure-Function Relationship of Parathyroid Hormone: Activation of Phospholipase- Kinase-A and -C in Osteosarcoma Cells," Endocrinology 130: 29-36 (1992).		
	Fukayama et al., "Mechanisms of Desensitizat Cells," Endocrinology 131: 1757-1769 (1992).	ion to Parathyroid Hormone in Human Osteoblast-Like SaOS-2
EXAMINER		DATE CONSIDERED

SUBSTITUTE FORM PTO-1449	U.S. DEFARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Fulgyarma et al., "Role of Protein Kinase-A in Homologous Down-Regulation of Parathyrold Hormone (PTH/PTH-Related Peptide Receptor Messenger Ribonucleic Acid in Human Osteoblast-Like SaiOS-2 Cells," Embodrimology 134: 1851-1858 (1984).
Gaich et al., "Amino-Terminal Parathyroid Hormone-Related Protein: Specific Binding and Cytosolic Calcium Responses in Rat Insulinoma Cells," Endocrinology 132: 1402-1409 (1993).
Gardella et al., "Expression of Human Parathyroid Hormone-(1-84) in Escherichia coli as a Factor X-cleavable Fusion Protein," J. Biol. Chem. 265: 15854-15859 (1990).
Gardella et al., "Mutational Analysis of the Receptor-Activating Region of Human Parathyroid Hormone," J. Biol. Chem. 268: 13141-13146 (1991).
Gardella et al., "Scanning Mutagenesis of the 23-35 Region of Parathyroid Hormone Reveals Important Determinants of Receptor Binding," in: Calcium Regulating Hormones and Bone Metabolism: Basic and Clinical Aspects (eds. DV. Cohn et al.), vol. 11, pp. 216-225 (Excepts Medica, Amsterdam, 1989).
Gardella et al., "Determinants of [Arg2]PTH-(1-34) Binding and Signaling in the Transmembrane Region of the Parathyroid Hormone Receptor," Endocrinology 135: 1186-1194 (1994).
Gardella et al., "Parathyroid Hormone (PTH)-PTH-Related Peptide Hybrid Peptides Reveal Functional Interactions Between the 1-14 and 15-34 Domains of the Ligand," <i>J. Biol. Chem.</i> 270: 6584-6588 (1995).
Gardella et al., "Converting Parathyroid Hormone-Related Peptide (PTHrP) into a Potent PTH-2 Receptor Agonist," J. Biol. Chem. 271: 19888-19893 (1996).
Gardella et al., "Transmembrane Residues of the Parathyroid Hormone (FTH)/PTH-Related Peptide Receptor that Specifically Affect Binding and Signaling by Agonist Ligands," J. Biol. Chem. 271: 12820-12825 (1996).
Gensure et al., "Multiple Sites of Contact between the Carboxyl-Terminal Binding Domain of PTHrP-(1-36) Analogs and the Amino-Terminal Estraciolistar Domain of the PTH/PTHrP Receptor identified by Photoaffinity Cross-Linking, "J. Biol. Criem." 27: 26805-26856 (2001).
Gensure et al., "Parathyroid Hormone and Parathyroid Hormone-Related Peptide, and their Receptors," Biochem. Biophys. Res. Commun. 328: 666-678 (2005).
Goltzman et al., "Influence of Guanyl Nucleotides on Parathyroid Hormone-Stimulated Adenylyl Cyclase Activity in Renal Cortical Membranes," <i>Endocrinology</i> 103: 1352-1360 (1978).
Goltzmann et al., "Analysis of the Requirements for Parathyroid Hormone Action in Renal Membranes with the Use of Inhibiting Analogues," <i>J. Biol. Chem.</i> 250: 3199-3203 (1975).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT	Applicant	Gardella et al.	
	Filing Date	March 3, 2006	
(Use several sheets if necessary)		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
	mbert et al., "Alanine and D-Amino Acid Scan of Human Parathyroid Homone," in: <i>Peptides: Chemistry, vucture and Bio</i> logy (eds. P.T.P. Kaumaya et al.), pp. 661-662 (Mayflower Sci. Ltd., England, 1998).
	ace et al., "NMR Structure and Peptide Hormone Binding Site of the First Extracellular Domain of a Type B1 G otein-Coupled Receptor," <i>Proc. Natl. Acad. Sci. USA</i> 101: 12836-12841 (2004).
Co	eerberg et al., "Mapping the Bimolecular Interface of the Parathyroid Hormone (PTH)-PTH1 Receptor riplex. Spatial Proximity Detween Lys(Z7) (of the Hormone Principal Binding Domain) and Leu(281) (of the st Edmacellular Loop) of the Human PH1 Receptor, "Biochombirgy 3s 142-4152 (2000).
	o et al., "Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor Density Modulates Activation of ospholipase C and Phosphate Transport by PTH in LLC-PK1 Celts," Endocrinology 136: 3884-3891 (1995).
and	bashita et al., "Synthesis and Biological Activities of hPTH(1:34) Analogues: Modification of the Middle Part dic-terminal Aixfusindes," in "Poptide Science-Present and Future: Proceedings of the 1st International pilide Symposium (ed. V. Shimonship, pp. 171-173 (downer Acad. Pub., Great Britain, 1997)
Hai	mmer et al., "Genetic Engineering of Mammalian Embryos," J. Anim. Sci. 63: 269-278 (1986).
He Am	inrich et al., "Gene Encoding Parathyroid Hormone. Nucleotide Sequence of the Rat Gene and Deduced nino Acid Sequence of Rat Preproparathyroid Hormone," <i>J. Biol. Chem.</i> 259: 3320-3329 (1984).
Hei Ge	inrich et al., "Rat Parathyroid Hormone Gene, Exons II and III," Alignment result 8, SEQ ID NO: 1, Database: nEmbl, Accession NO: K01268 (Apr. 27, 1993).
	liker et al., "Truncation of the Amino Terminus of PTH Alters Its Anabolic Activity on Bone In Vivo," Bone 19: 9-477 (1996).
Hjo	orth et al., "Constitutive Activity of Glucagon Receptor Mutants," Mol. Endocrinol. 12: 78-86 (1998).
Ho	are et al., "Measurement of Agonist and Antagonist Ligand-Binding Parameters at the Human Parathyroid mone Type 1 Receptor: Evaluation of Receptor States and Modulation by Guanine Nucleotide," J. Pharmacol. D. Ther. 28
of S	Ilmann et al., "Critical Contributions of Amino-terminal Extracellular Domains in Agonist Binding and Activation Secretin and Vasoactive Intestinal Polypeptide Receptors, Studies of Chimeric Receptors," J. Biol. Chem. 270
Pol	Ilmann et al., "Molecular Basis and Species Specificity of High Affinity Binding of Vascactive intestinal typeptide by the Rat Secretin Receptor. Effect of Receptor-G-Protein Interaction on the Ligand Binding chanism and Receptor Conformation." J Pharmacol. Exp. Ther. 278: 555-560 (1980).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

	SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
'	(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
ł			Filing Date	March 3, 2006
			Group	1654
	(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Horiuchi et al., "A Parathyroid Hormone Inhibitor In Vivo: Design and Biological Evaluation of a Hormone Analog," Science 220: 1053-1055 (1983).
Horiuchi et al., "Evaluation of a Parathyroid Hormone Anlagonist in an In Vivo Multiparameter Bioassay," Am. J. Physiol. 253: E187-192 (1987).
Hruska et al., "Stimulation of Inositol Trisphosphate and Diacylglycerol Production in Renal Tubular Cells by Parathyroid Hormone," J. Clin. Invest. 79: 230-239 (1987).
Ilda-Klein et al., "Truncation of the Carboxy-terminal Region of the Rat Parsthyroid Hormone (PTH)PTH-Related Peptide Recoptor Enhances PTH Stimulation of Adenylyl Cyclase but Not Phospholipase C.* J. Biol. Chem. 270: 4456-4465 (1982).
Ilda-Kein et al., "Structural Requirements of Parathyroid Hormone/Parathyroid Hormone-Related Peptide Receptors for Phospholipase C Activation and Regulation of Phosphate Uptake," Miner. Electrolyfe Metab. 21: 17-179 (198
ilda-Klein et al., "Mutations in the Second Cytoplasmic Loop of the Rat Parathyroid Hormone (PTH)PTH-Related Protein Receptor Result in Selective Loss of PTH-stimulated Phospholipase C Activity." J. Biol. Chem. 272: 6826-2688 (1997).
Inomata et al., "Characterization of a Novel Parathyroid Hormone (PTH) Receptor with Specificity for the Carboxyl-Terminal Region of PTH-(1-84)," <i>Endocrinology</i> 136: 4732-4740 (1995).
Ishihara et al., "Molecular Cloning and Expression of a cDNA Encoding the Secretin Receptor," <i>EMBO J.</i> 10: 1635-1641 (1991).
lwakura et al., "Effects of the Length of a Glycine Linker Connecting the N-and C-Termini of a Circularly Permuted Dihydrofolate Reductase," <i>Protein Eng.</i> 11: 707-713 (1998).
Jans et al., "LLC-PK1 Cell Mutants in cAMP Metabolism Respond Normally to Phorbol Esters," FEBS Lett. 205: 127-131 (1986).
Janulis et al., "Structure-Function Requirements of Parathyroid Hormone for Stimulation of 1,25-Dihydroxyvitamin D3 Production by Rat Renal Proximal Tubules," <i>Endocrinology</i> 133: 713-719 (1993).
Ji et al., "Human Choriogonadotropin Binds to a Lutropin Receptor with Essentially No N-terminal Extension and Stimulates cAMP Synthesis," J. Biol. Chem. 266: 13076-13079 (1991).
Jing et al., "GDNF-Induced Activation of the Ret Protein Tyrosine Kinase Is Mediated by GDNFR-alpha, a Novel Receptor for GDNF," Cell' 85: 1113-1124 (1996).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449		Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

	OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
	Jobert et al., "Parathyroid Hormone-Induced Calcium Release from Intracellular Stores in a Human Kidney Cell Line in the Absence of Stimulation of Cyclic Adenosine 3',5-Monophosphate Production," <i>Endocrinology</i> 138: 5282-5292 (1997).
	Jouishomme et al., "The Protein Kinase-C Activation Domain of the Parathyroid Hormone," <i>Endocrinology</i> 130: 53-60 (1992).
·	Jouishomme et al., "Further Definition of the Protein Kinase C Activation Domain of the Parathyroid Hormone," J. Bone Miner, Res. 9: 943-949 (1994).
	Joun et al., "Tissue-specific Transcription Start Sites and Alternative Splicing of the Parathyroid Hormone (PTH)-PTH-related Poptide (PTHP) Receptor Gene: A New PTH/PTH/P Receptor Splice Variant that Lacks the Signal Pe
	Jüppner et al., "The Parathyroid Hormone-Like Pepidde Associated with Humoral Hypercalcemia of Malignancy and Parathyroid Hormone Bind to the Same Receptor on the Plasma Membrane of ROS 17/2.3 Cells," J. Biol. Chem. 263
	Jüppner et al., "Properties of Amino-Terminal Parathyroid Hormone-Related Peptides Modified at Positions 11-13," Peptides 11: 1139-1142 (1990).
	Jüppner et al., "The Extracellular Amino-Terminal Region of the Parathyroid Hormone (PTH)/PTH-related Peptide Receptor Determines the Binding Affinity for Carboxyl-Terminal Fragments of PTH-(1-34)," <i>Endocrinology</i> 134: 879-884 (1994).
	Kappel et al., "Regulating Gene Expression in Transgenic Animals," Curr. Op. Biotechnol. 3: 548-553 (1992).
	Karaplis et al., "Lethal Skeletal Dysplasia From Targeted Disruption of the Parathyroid Hormone-Related Peptide Gene," Genes Dev. 8: 277-289 (1994).
	Kaufman et al., "Transgenic Analysis of a 100-kb Human Beta-Globin Cluster-Containing DNA Fragment Propagated as a Bacterial Artificial Chromosome," <i>Blood</i> 94: 3178-3184 (1999).
	Kaufmann et al., "Functional Expression of a Stably Transfected Parathyroid Hormone/Parathyroid Hormone Related Protein Receptor Complementary DNA in CHO cells," Mol. Cell. Endocrinol. 104: 21-27 (1994).
	Kaul et al., "Stereochemical Control of Peptide Folding," Bioorg. Med. Chem. 7: 105-117 (1999).
	Kemp et al., "Parathyroid Hormone-Related Protein of Malignancy: Active Synthetic Fragments," Science 238: 1568-1570 (1987).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

	SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
Ì	(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
Į			Filing Date	March 3, 2006
			Group	1654
	(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Kimura et al., "Strategy for the Synthesis of Large Peptides: An Application to the Total Synthesis of Human Parathyroid Hormone [hPTH)1-84)]," <i>Biopolymers</i> 20: 1823-1832 (1981).
Kimura et al., "Discovery of a Novel Thrombopoletin Mimic Agonist Peptide," J. Biochem. 122: 1046-1051 (1997).
Klaus et al., "Investigation of the Solution Structure of the Human Parathyroid Homone Fragment (1-34) by 1H NMR Spectroscopy, Distance Geometry, and Molecular Dynamics Calculations," <i>Blochemistry</i> 30: 8938-8942 (1991).
Kolakowski, "GCRDb: A G-Protein-Coupled Receptor Database," Receptors and Channels 2: 1-7 (1994).
Kong et al., "The Rat, Mouse and Human Genes Encoding the Receptor for Parathyroid Hormone and Parathyroid Hormone-Related Peptide are Highly Homologous," <i>Blochem. Blophys. Res. Commun.</i> 200: 1290- 1299 (1994).
Kovacs et al., "Parathyroid Hormone-Related Peptide (PTH/P) Regulates Fetal-placental Calcium Transport Through a Receptor Distinct from the PTH/PTH/P Receptor," Proc. Natl. Acad. Sci. USA 93: 15233-15236 (1986).
Kronenberg et al., "The PTH/PTH/P Receptor: One Receptor for Two Ligands," in: Molecular Genetics of Endocrine Disorders (ed. R.V. Thakker), pp. 389–420 (Chapman & Hall, New York, NY, 1997).
Lanske et al., "PTH/PTH/P Receptor in Early Development and Indian Hedgehog-Regulated Bone Growth," Science 273: 663-666 (1996).
Lee et al., "Role of the Extracellular Regions of the Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor in Hormone Binding." <i>Endocrinology</i> 135: 1488-1495 (1994).
Lee et al., "Homolog-scanning Mutagenesis of the Parathyroid Homone (PTH) Receptor Reveals PTH-(1-34) Binding Determinants in the Third Extracellular Loop," Mol. Endocrinol. 9: 1269-1278 (1995).
Li et al., "Minimization of a Polypeptide Hormone," Science 270: 1657-1660 (1995).
Lin et al., "Expression Cloning of an Adenylate Cyclase-Coupled Calcitonin Receptor," Science 254: 1022-1024 (1991).
Livnah et al., "Functional Mimicry of a Protein Hormone by a Peptide Agonist: The EPO Receptor Complex at 2.8 A." Science 273: 484-471 (1996).
Majeska et al., "Parathyroid Hormone-Responsive Clonal Cell Lines from Rat Osteosarcoma," <i>Endocrinology</i> 107: 1494-1503 (1980).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
		Senal No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)  Mannsacht et al., "Evidence for a Ligand Interaction Site at the Amino-terminus of the Parathyroid Hormone (PTH)PTH-related Protein Receptor from Cross-Linking and Mutational Studies," J. Biol. Chem. 273: 16890-16896 (1988).  Matsumoto et al., "Daily Nasal Spray of PTH(1-34) for 3 Months Increases Bone Mass in Osteoporosis int. 17: 1532-1538 (2006).  Mischard et al., "Molecular Cloning of the Gene Encoding the Mouse Parathyroid Hormone/Parathyroid Hormone-Related Peptide Receptor," Proc. Natl. Acad. Sci. USA 91: 5051-5055 (1994).  Menniti et al., "Different Modes of Regulation for Receptors Activating Phospholipase C in the Rat Pancreatoma Cell Line AR4-2.]" Mol. Pharmacol. 40: 727-733 (1991).  Mickie et al., "Genotype-Phenotype Relationships in Cystic Fibrosis," Med. Clin. North Am. 84: 597-607 (2000).  Mikayama et al., "Molecular Cloning and Functional Expression of a cDNA Encoding Glycosylation-Inhibiting Factor," Proc. Natl. Acad. Sci USA 90: 10056-10080 (1993).  Mitchell et al., "Mechanisms of Homologous and Heterologous Regulation of Parathyroid Hormone Receptors in the Rat Osteosarcoma Cell Line UMR-106; "Endocrinology 126: 2550-2660 (1990).  Moretto et al., "(Genb)Nvs: Sereoselective Syntheses and Preferred Conformations of Selected Model Peptides," J. Papt. Res. 56: 283-297 (2000).  Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals," J. Clin. Invest. 98: 537-540 (1996).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Osteosarcoma Cells are Responsive to Human Carboxylterminal Parathyroid Hormone-Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Cacid. Tissue Int. 49: 120-123 (1991).  Musso et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Parathyroid Hormone-Crotation-Contains-Parathyroid Hormone-Related Probain Receptor. 1. Design, Synthesis and Characterization of Photoreactive Benzophenone-Contains-Parathyroid Hormone Blo		
(PTH/PTH-related Protein Receptor from Cross-Linking and Mutational Studies," <i>J. Biol. Chem.</i> 273: 16890-16896 (1998).  Matsumoto et al., "Daily Nasal Spray of hPTH(1-34) for 3 Months Increases Bone Mass in Osteoporotic Subjects: A Pilot Study," <i>Cistoporos. Int.</i> 17: 1532-1538 (2006).  McCuiaj et al., "Molecular Cloning of the Gene Encoding the Mouse Parathyroid Hormone/Parathyroid Hormone-Related Peptide Receptor," <i>Proc. Natl. Acad. Sci. USA</i> 91: 5051-5055 (1994).  Menniti et al., "Different Modes of Regulation for Receptors Activating Phospholipase C in the Rat Pancreatoma Cell Line AR4-2.]," <i>Mol. Pharmacol.</i> 40: 727-733 (1991).  Mickie et al., "Genotype-Phenotype Relationships in Cystic Fibrosis," <i>Med. Clin. North Am.</i> 84: 597-607 (2000).  Mikayama et al., "Molecular Cloning and Functional Expression of a cDNA Encoding Glycosylation-Inhibiting Factor," <i>Proc. Natl. Acad. Sci USA</i> 90: 10056-10060 (1993).  Mitchell et al., "Mechanisms of Homologous and Heterologous Regulation of Parathyroid Hormone Receptors in the Rat Osteosarcoma Cell Line UMR-106," <i>Encodronology</i> 126: 2650-2660 (1990).  Moretto et al., "(ciMe)Nva: Stereoselective Syntheses and Preferred Conformations of Selected Model Peptides," <i>J. Pept. Res.</i> 56: 283-297 (2000).  Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals," <i>J. Clin. Invest.</i> 98: S37-840 (1996).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Osteosarcoma Cells are Responsive to Human Carbonyterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," <i>Calcil. Tissue Int.</i> 49: 120-123 (1991).  Muses et al., "Renal Vasodilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," <i>Eur. J. Pharmacol.</i> 174: 139-151 (1989).  Nakamoto et al., "Action of Fragments of Human Parathyroid Hormone on Blood Pressure in Rats," <i>Endocrinol.</i> 1995 (1995).		OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
A Pilot Study," Csteoporos. Int. 17: 1532-1538 (2006).  McCualg et al., "Molecular Cloning of the Gene Encoding the Mouse Parathyroid Hormone/Parathyroid Hormone-Related Peptide Receptor," Proc. Natl. Acad. Sci. USA 91: 5051-5055 (1994).  Menniti et al., "Different Modes of Regulation for Receptors Activating Phospholipase C in the Rat Pancreatoma Cell Line AR4-2J," Mol. Pharmacol. 40: 727-733 (1991).  Mickie et al., "Genotype-Phenotype Relationships in Cystic Fibrosis," Med. Cilin. North Am. 84: 597-607 (2000).  Mikayama et al., "Molecular Cloning and Functional Expression of a cDNA Encoding Glycosylation-Inhibiting Factor," Proc. Natl. Acad. Sci USA 90: 10056-10060 (1993).  Mitchell et al., "Mechanisms of Homologous and Heterologous Regulation of Parathyroid Hormone Receptors in the Rat Osteosarcoma Cell Line UMR-106," Enfocránology 126: 2650-2660 (1990).  Moretto et al., "(cMle)Nva: Stereoselective Syntheses and Preferred Conformations of Selected Model Peptides," J. Pept. Res. 56: 283-297 (2000).  Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals," J. Clin. Invest. 98: S37-S40 (1996).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Osteosarcoma Cells are Responsive to Human Carbonylterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Calcif. Tissue Int. 49: 120-123 (1991).  Muses et al., "Renal Vasodilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1998).  Nakamoto et al., "Proting the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Containing Analogs of Parathyroid Hormone with the Human arathyriol Hormone-Englated Proble in Receptor. 1. Despn., Synthesis and Characterization of Photoreactive Benzophenone-Containing Analogs of Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.	1	(PTH)/PTH-related Protein Receptor from Cross-Linking and Mutational Studies," J. Biol. Chem. 273: 16890-
Hormone-Related Peptide Receptor," Proc. Natl. Acad. Sci. USA 91: 5051-5055 (1994).  Menntit et al., "Different Modes of Regulation for Receptors Activating Phospholipase C in the Rat Pancreatoma Cell Line AR4-2.J." Mol. Pharmacol. 40: 727-733 (1991).  Mickie et al., "Genotype-Phenotype Relationships in Cystic Fibrosis," Med. Clin. North Am. 84: 597-607 (2000).  Mikayama et al., "Molecular Cloning and Functional Expression of a CDNA Encoding Glycosylation-Inhibiting Factor," Proc. Natl. Acad. Sci USA 90: 10056-10060 (1993).  Mitchell et al., "Machanisms of Homologous and Heterologous Regulation of Parathyroid Hormone Receptors in the Rat Osteosarcoma Cell Line UMR-108," Endocrinology 126: 2650-2660 (1990).  Moretto et al., "(albe)Nva: Stereoselective Syntheses and Preferred Conformations of Selected Model Peptides," J. Pept. Res. 56: 289-287 (2000).  Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals," J. Clin. Invest. 98: S37-S40 (1996).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Osteosarcoma Cells are Responsive to Human Carboxylterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Calcif. Tissue Int. 49: 120-123 (1991).  Musso et al., "Renal Vasodilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1989).  Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Related Protein Receptor: 1. Destgn, Synthesis and Characterization of Photoreactive Benzophenone-Containing Analogs of Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.		
Cell Line AR4-2.J.* Mol. Pharmacol. 40: 727-733 (1991).  Mickle et al., "Genotype-Phenotype Relationships in Cystic Fibrosis," Med. Clin. North Am. 84: 597-607 (2000).  Mikayama et al., "Molecular Cloning and Functional Expression of a cDNA Encoding Glycosylation-Inhibiting Factor," Proc. Natl. Acad. Sci USA 90: 10056-10060 (1993).  Mikhell et al., "Mechanisms of Homologous and Heterologous Regulation of Parathyroid Hormone Receptors in the Rat Osteosarcoma Cell Line UMR-106," Encorrinology 128: 2550-2660 (1990).  Moretto et al., "(aMe)Nva: Stereoselective Syntheses and Preferred Conformations of Selected Model Peptides," J. Papt. Res. 56: 283-297 (2000).  Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals," J. Clin. Invest. 98: S37-840 (1996).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Osteosarcoma Cells are Responsive to Human Carbonytterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphalase," Calcif. Tissue Int. 49: 120-123 (1991).  Muso et al., "Renal Vasodilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1989).  Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Carlated Protein Receptor. 1. Desays, Synthesis and Characterization of Photoreactive Benzophenone-Containing Analogs of Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.  Nakamura et al., "Action of Fragments of Human Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.		McCualg et al., "Molecular Cloning of the Gene Encoding the Mouse Parathyroid Hormone/Parathyroid Hormone-Related Peptide Receptor," <i>Proc. Natl. Acad. Sci. USA</i> 91: 5051-5055 (1994).
Mikayama et al., "Molecular Cloring and Functional Expression of a cDNA Encoding Glycosylation-Inhibiting Factor." Proc. Natl. Acad. Sci USA 90: 10056-10060 (1993).  Mitchell et al., "Mechanisms of Homologous and Heterologous Regulation of Parathyroid Homone Receptors in the Rat Osteosarcoma Cell Line UMR-106." Endocrinology 126: 2550-2560 (1990).  Moretto et al., "(alke)Nat. Stereoselective Syntheses and Preferred Conformations of Selected Model Peptides," J. Papt. Res. 56: 269-297 (2000).  Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals," J. Clin. Invest. 98: S37-540 (1996).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Osteosarcoma Cells are Responsive to Human Carboxyferminal Parathyroid Homone Peptide InPTH (53-84): Stimulation of Alkaline Phosphatiase." Calcil. 173sue Int. 49: 120-123 (1991).  Musco et al., "Paral Vasceditation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Homone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1989).  Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Homone with the Human Parathyroid Homone-Econtaining Analogs of Parathyroid Homone," Biochemistry 34: 10546-10552 (1995).  Nakamura et al., "Action of Fragments of Human Parathyroid Homone Blood Pressure in Rats," Endocrinol.		
Factor,* Proc. Natl. Acad. Sci USA 90: 10036-10080 (1993).  Mitchell et al., "Nechanisms of Homologous and Heterologous Regulation of Parathyroid Hormone Receptors in the Rat Osteosarcoma Cell Line UMR-106," Endocrinology 126: 2650-2660 (1990).  Moretto et al., "(2M6)Nvs. Steroselective Syntheses and Preferred Conformations of Selected Model Peptides," J. Pept. Res. 36: 283-297 (2000).  Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals," J. Clin. Invest. 98: S37-S40 (1996).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Osteosarcoma Cells are Responsive to Human Carbonyterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Calcil. Tissue Int. 49: 120-123 (1991).  Museo et al., "Renal Vasodilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1989).  Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Genative Benzophenone-Containing Analogs of Parathyroid Hormone," Biochemistry 34: 10546-10552 (1995).  Nakamura et al., "Action of Fragments of Human Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.		Mickle et al., "Genotype-Phenotype Relationships in Cystic Fibrosis," Med. Clin. North Am. 84: 597-607 (2000).
the Rat Osteosarcoma Cell Line UMR-106," Endocrinology 126: 2650-2660 (1990).  Moretto et al., "GMbp)Nxs: Stereoselective Syntheses and Preferred Conformations of Selected Model Peptides," J. Pept. Res. 56: 263-297 (2000).  Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals," J. Clin. Invest. 98: SS7-240 (1995).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Osteosarcoma Cells are Responsive to Human Carboxylterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Calcif. Tissue Int. 49: 120-123 (1991).  Musso et al., "Renal Vasodilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1989).  Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Related Probein Receptor. 1. Destyn, Synthesis and Characterization of Protoreactive Benzophenone-Containing Analogs of Parathyroid Hormone." Biochemistry 34: 10546-10552 (1995).  Nakamura et al., "Action of Fragments of Human Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.		Mikayama et al., "Molecular Cloning and Functional Expression of a cDNA Encoding Glycosylation-Inhibiting Factor," Proc. Natl. Acad. Sci USA 90: 10056-10060 (1993).
J. Pept. Res. 36: 283-297 (2000).  Mullins et al., "Perspective Series: Molecular Medicine in Genetically Engineered Animals." J. Clin. Invest. 98: S37-S40 (1996).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Osteosarcoma Cells are Responsive to Human Carboyderminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Calcil. Tissue Int. 49: 120-123 (1991).  Museo et al., "Renal Vasodilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1989).  Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Egilated Protein Receptor. 1. Despn. Synthesis and Characterization of Photoreactive Benzophenone-Containing Analogs of Parathyroid Hormone," Biochemistry 34: 10546-10552 (1995).  Nakamura et al., "Action of Fragments of Human Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.		
S37-S40 (1996).  Murray et al., "Dexamethasone-Treated ROS 17/2.8 Rat Cateosarcoma Cells are Responsive to Human Carboxyterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Calcif. 73sue Int. 49: 120-123 (1991).  Musso et al., "Renal Vascolilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1989).  Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Related Protein Receptor. 1. Design, Synthesis and Characterization of Photoreactive Benzophenone-Containing Analogs of Parathyroid Hormone," Biochemistry 34: 10546-10552 (1995).  Nakamura et al., "Action of Fragments of Human Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.		
Carbonylterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Calcif. Tissue Int. 49: 120-123 (1991).  Muso et al., "Renal Vasodilatation and Microvessel Adenylate Cyclase Stimulation by Synthetic Parathyroid Hormone-Like Protein Fragments," Eur. J. Pharmacol. 174: 139-151 (1989).  Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Earthyroid Hormone-Earthyroid Hormone-Containing Analogs of Parathyroid Hormone," Biochemistry 34: 10546-10552 (1995).  Nakamura et al., "Action of Fragments of Human Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.		
Hormone-Like Protein Fragments, "Eur. J. Pharmacol. 174: 139-151 (1989).  Nakamoto et al., "Probing the Bimolecular Interactions of Parathyroid Hormone with the Human Parathyroid Hormone-Replated Probins Receptor. I. Despin, Synthesis and Characterization of Photoreactive Benzophenone-Containing Analogs of Parathyroid Hormone," Biochemistry 34: 10548-10552 (1995).  Nakamura et al., "Action of Fragments of Human Parathyroid Hormone on Blood Pressure in Rats," Endocrinol.		Carboxylterminal Parathyroid Hormone Peptide hPTH (53-84): Stimulation of Alkaline Phosphatase," Calcif.
Hormone/Parathyroid Hormone-Related Prolein Receptor. 1. Design, Synthesis and Characterization of Photoreactive Benzophenone-Containing Analogs of Parathyroid Hormone," <i>Biochemistry</i> 34: 10546-10552 (1995).  Nakamura et al., "Action of Fragments of Human Parathyroid Hormone on Blood Pressure in Rats," <i>Endocrinot.</i>		
		Hormone/Parathyroid Hormone-Related Protein Receptor. 1. Design, Synthesis and Characterization of Photoreactive Benzophenone-Containing Analogs of Parathyroid Hormone," <i>Biochemistry</i> 34: 10546-10552

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
		Applicant	Gardella et al.
(Use several sheets if necessary)		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

OTHER DOCUMENTS (INCLUDING AUTHOR, TITLE, DATE, PLACE OF PUBLICATION)
Neugebauer et al., "Structural Elements of Human Parathyroid Hormone and their Possible Relation to Biological Activities," Blochemistry 31: 2056-2063 (1992).
Neugebauer et al., "Solution Structure and Adenylyl Cyclase Stimulating Activities of C-terminal Truncated Human Parathyroid Hormone Analogues," <i>Biochemistry</i> 34: 8835-8842 (1995).
Ngo et al., "Chapter 14: Computational Complexity, Protein Structure Prediction, and the Levinthal Paradox," in: The Protein Folding Problem and Tertiery Structure Prediction (eds. K.M. Merz et al.), pp. 492-493 (Birkhäuser Verlag, Boston, MA, 1994).
Nielsen et al., "Identification of Prokaryotic and Eukaryotic Signal Peptides and Prediction of their Cleavage Sites," Prot. Eng. 10: 1-6 (1997).
Nissenson et al., "Synthetic Peptides Comprising the Amino-Terminal Sequence of a Parathyroid Hormone-Like Probein from Human Malignancies, Binding to Parathyroid Hormone Receptors and Activation of Adenylate Cyclase in Bone Cells and Kdney," J. Bol. Chem. 235: 12866-12217 (1986).
Nussbaum et al., "Parathyroid Hormone • Renal Receptor Interactions. Demonstration of Two Receptor-binding Domains," J. Biol. Chem. 255: 10183-10187 (1980).
Nutt et al., "Removal of Partial Agonism from Parathyroid Hormone (PTH)-Related Protein-(7-34)NH2 by Substitution of PTH Amino Acids at Positions 10 and 11," <i>Endocrinology</i> 127: 491-493 (1990).
Oldenburg et al., "Conformational Studies on Analogs of Recombinant Parathyroid Hormone and their Interactions with Phospholipids," <i>J. Biol. Chem.</i> 271: 17582-17591 (1996).
Orkin et al., "Report and Recommendations of the Panel to Assess the NIH Investment in Research on Gene Therapy," available online at http://www.nih.gov/news/panelrep.html, pp. 1-39 (1995).
Orloff et al., "Analysis of PTHRP Binding and Signal Transduction Mechanisms in Benign and Malignant Squamous Ceils," <i>Am. J. Physiol.</i> 262: E599-E607 (1992).
Orloff et al., "Further Evidence for a Novel Receptor for Amino-Terminal Parathyroid Hormone-Related Protein on Keratinocytes and Squamous Carcinoma Cell Lines," <i>Endocrinology</i> 138: 3016-3023 (1995).
Orloff et al., "A Midregion Parathyroid Hormone-Related Peptide Mobilizes Cytosolic Calcium and Stimulates Formation of Inositol Trisphosphate in a Squamous Carcinoma Cell Line," <i>Endocrinology</i> 137: 5376-5385 (1996).
 Pang et al., "Purification of Unique alpha Subunits of GTP-Binding Regulatory Proteins (G Proteins) by Affinity Chromatography with Immobilized beta gamma Subunits," <i>J. Biol. Chem.</i> 265: 18707-18712 (1990).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)	PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

Parsons et al., "Pharmacology of Parathyroid Hormone and Some of its Fragments and Analogues," in: Calcium- regulating hormones, "Proceedings of the Fifth Parathyroid Conference, Oxford, United Kingdom, Jul. 21-26, 1974 (eds. R.V. Talmage et al.), pp. 339 (Am. Elsevier Pub. Co., New York, NY, 1975).
Peggion et al., "Structure-Function Studies of Analogues of Parathyroid Hormone (PTH)-1-34 Containing Beta- Amino Acid Residues in Positions 11-13," Biochemistry 41: 8162-8175 (2002).
Pellegrinl et al., "Addressing the Tertiary Structure of Human Parathyroid Hormone-(1-34)," J. Biol. Chem. 273: 10420-10427 (1998).
Pettit et al., "The Development of Site-Specific Drug-Delivery Systems for Protein and Peptide Biopharmaceuticals," <i>Trends Biotechnol.</i> 16: 343-349 (1998).
Phillips, "The Challenge of Gene Therapy and DNA Delivery," J. Pharm. Pharmacol. 53: 1169-1174 (2001).
Pines et al., "Generation and Characterization of Human Kidney Cell Lines Stably Expressing Recombinant Human PTH/PTH/P Receptor: Lack of Interaction with a C-Terminal Human PTH Peptide," <i>Endocrinology</i> 135: 1713-1716 (1
Pines et al., "Inositol 1-,4-,5-Trisphosphate-Dependent Ca2+ Signaling by the Recombinant Human PTH/PTHrP Receptor Stably Expressed in a Human Kidney Cell Line," Bone 18: 381-389 (1996).
Plotkin et al., "Dissociation of Bone Formation from Resorption during 2-week Treatment with Human Parathyroid Homon-Related Peptide-(1-36) in Humans: Potential as an Anabolic Therapy for Osteoporosis," J. Clin. Embora
Potts et al., "Structure Based Design of Parathyroid Hormone Analogs," J. Endocrinol. 154 Suppl: S15-S21 (1997).
Potts et al., "Parathyroid Hormone and Parathyroid Hormone-Related Peptide in Calcium Homeostasis, Bone Metabolism, and Bone Development: The Proteins, Their Genes, and Recoptors, "in: Metabolic Bone Disease, 3rd Edifor (eds. L.V. Avioli et al.), pp. 5-194 (Acad. Press, San Dego, OA, 1989).
Ray et al., "NMR Solution Structure of the [Ala26]Parathyroid-Hormone-Related Protein(1-34) Expressed in Humoral Hypercalcemia of Malignancy," Eur. J. Biochem. 211: 205-211 (1993).
Reid et al., "Parathyroid Hormone Acutety Elevates Intracellular Calcium in Osteoblastifike Cells," Am. J. Physiol. 253: E45-E51 (1987).
Reidhaar-Olson et al., "Active Variants of Human Parathyroid Hormone (1-34) with Multiple Amino Acid Substitutions," <i>Mol. Cell. Endocrinol.</i> 160: 135-147 (2000).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED) PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744	
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

Rixon et al., "Parathyroid Hormone Fragments May Stimulate Bone Growth in Ovariectomized Rats by Activating Adenylyl Cyclase," J. Bone Miner. Res. 9: 1179-1189 (1994).
Roe et al., "Parathyroid Hormone 1–34 (hPTH 1–34) and Estrogen Produce Dramatic Bone Density Increases in Posternospausal Osteoporosis. Results from a Placebo-Controlled Randomized Trial," J. Bone Miner. Res. 14: 5137, Abstract No. 1019 (1993)
Romano et al., "Latest Developments in Gene Transfer Technology: Achievements, Perspectives, and Controversies over Therapeutic Applications," Stem Cells 18: 19-39 (2000).
Rosenblatt et al., "Design and Synthesis of Parathyroid Hormone Analogues of Enhanced Biological Activity," Endocr. Res. Commun. 4: 115-133 (1977).
Rosenblatt et al., "Identification of a Receptor-binding Region in Parathyroid Hormone," <i>Endocrinology</i> 107: 545-550 (1980).
Rosenblatt, "Parathyroid Hormone: Chemistry and Structure-Activity Relations," <i>Pathobiol. Annu.</i> 11: 53-86 (1981).
Rosol et al., "Sequences of the cDNAs Encoding Canine Parathyroid Hormone-Related Protein and Parathyroid Hormone," Gene 180: 241-243 (1995).
Rubin et al., "Molecular Cloning and Expression of Receptors for Parathyroid Hormone (PTH) and PTH-Related (PTH/P) Protein in Zebrafish," Am. Zoologist 36: 97A, Abstract No. 373 (1996).
Rubin et al., "Parathyroid Hormone (PTH)/PTH-Related (PTHRP) Receptor Cloning and in Situ Hybridization in the Zebrafish, Danio Rerio," Am. Zoologist 37: 181A, Abstract No. 851 (1997).
Rubin et al., "Molecular Cloning of a Zebrafish cDNA Encoding a Novel Parathyroid Hormone (PTH)PTH- Related Protein (PTH/P) Receptor (PPR)," Bone 23: S255, Abstract No. T224 (1998).
Rubin et al., "Zebrafish Express the Common Parathyroid Hormone/Parathyroid Hormone-Related Peptide Receptor (PTHTR) and a Novel Receptor (PTHSR) that is Preferentially Activated by Mammalian and Fugufish Parathyroid Hormone-Related Peptide: J. Biol. Chem. 274: 2818-25-28190 (1999).
Sacchetti et al., "Green Fluorescent Protein Variants Fold Differentially in Prokaryotic and Eukaryotic Cells," J. Cell. Biochem. Suppl. 36: 117-128 (2001).
Sargent et al., "Membrane Lipid Phase as Catalyst for Peptide-Receptor Interactions," Proc. Nall. Acad. Sci. USA 83: 5774-5778 (1986).
Schipani et al., "Identical Complementary Deoxyribonucleic Acids Encode a Human Renal and Bone Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor," Endocrinology 132: 2157-2165 (1993).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

	SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
	(MODIFIED) PATENT AND TRADEMARK OFFICE	Serial No.	10/564,744	
	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
			Filing Date	March 3, 2006
			Group	1654
	(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

Schipani et al., "Pseudohypoparathyroidism Type Ib is not Caused by Mutations in the Coding Exons of the Human Parathyroid Homone (PTH)/PTH-Related Peptide Receptor Gene," J. Clin. Endocrinol. Metab. 80: 1611- 1621 (1985).
Schipani et al., "A Constitutively Active Mutant PTH-PTHrP Receptor in Jansen-Type Metaphyseal Chondrodysplasia," Science 268: 98-100 (1995).
Schneider et al., "Cloning and Functional Expression of a Human Parathyroid Hormone Receptor," Eur. J. Pharmacol. 246: 149-155 (1993).
Schneider et al., "A C-Terminally Truncated Human Parathyroid Hormone Receptor is Functional and Activates Multiple G Proteins," FEBS Lett. 351: 281-285 (1994).
Segre et al., "Characterization of Parathyroid Hormone Receptors in Canine Renal Cortical Plasma Membranes Using a Radiotodinated Suffur-Free Hormone Analogue. Correlation of Binding with Adenylate Cyclase Activity." J. Biol. Chem. 246-5804-5880 (1979).
Segre et al., "Receptors for Secretin, Calcitonin, Parathyroid Homone (PTH)/PTH-Related Peptide, Vasoactive Intestinal Peptide, Glucagonilike Peptide 1, Growth Homone-Releasing Homone, and Glucagon Belong to a Newly Discovered G-protein-Linde Receptor Family," *Tends Enrocinol. Metab. 4, 39–314 (1993).
Seuwen et al., "Heparin-Insensitive Calcium Release from Intracellular Stores Triggered by the Recombinant Human Parathyroid Hormone Receptor," <i>Br. J. Pharmacol.</i> 114: 1613-1620 (1995).
Shen et al., "Effects of Combined and Separate Intermittent Administration of Low-Dose Human Parathyroid Hornone Fragment (1-3-4) and 17 Beate-Estradiol on Bone Histomorphometry in Ovariectomized Rats with Established Ostoopenia," Calcif. Tissue Int. 50: 214-220 (1992).
Shigeno et al., "Parathyroid Hormone Receptors are Plasma Membrane Glycoproteins with Asparagine-Linked Oligosaccharides," J. Biol. Chem. 263: 3872-3878 (1988).
Shimada et al., "Purification and Characterization of a Receptor for Human Parathyroid Hormone and Parathyroid Hormone-Related Peptide," <i>J. Biol. Chem.</i> 277: 31774-31780 (2002).
Shimizu et al., "Type-Substitution Analysis of the Amino-Terminal Fragment of Parathyroid Hormone, PTH(1-14): An Approach toward New Low Molecular Weight PTH Agonists," J. Bone Miner. Res. 14: 5289, Abstract No. F386 (1999).
Shimizu et al., "Residue 19 of the Parathyroid Hormone (PTH) Modulates Ligand Interaction with the Juxtamembrane Region of the PTH-1 Receptor," <i>Biochemistry</i> 41: 13224-13233 (2002).
Shimizu et al., "Structurally Varied Conformationally Constrained Amino Acids Substitutions at Positions 1 and 3 of PTH(1-14) Preserve or Enhance PIR Binding Affinity and cAMP-signaling Potency," J. Bone Miner. Res. 17: S389 (2002).

EXAMINER	DATE CONSIDERED	
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this	

ĺ	SUBSTITUTE FORM PTO-1449	U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
	(MODIFIED)	DIFIED) PATENT AND TRADEMARK OFFICE S	Serial No.	10/564,744
			Applicant	Gardella et al.
i	INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Filing Date	March 3, 2006
j			Group	1654
	(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

Shimizu et al., "Novel Parathyroid Hormone (PTH) Antagonists that Bind to the Juxtamembrane Portion of the PTH/PTH-Related Protein Receptor," <i>J. Biol. Chem.</i> 280: 1797-1807 (2005).
Shukmarti et al., "Chondrogenic Differentiation of Clonal Mouse Embryonic Cell Line ATDC5 in Vitro: Differentiation-dependent Gene Expression of Parathyroid Hormone (PTH)PTH-related Peptide Receptor," J. Cell Biol. 133, 47-460 (1996).
Siegfried et al., "Parathyroid Hormone Stimulates Ecto-5'-Nucleotidase Activity in Renal Epithelial Cells: Role of Protein Kinase-C," <i>Endocrinology</i> 136:1267-1275 (1995).
Simon et al., "Diversity of G Proteins in Signal Transduction," Science 252: 802-808 (1991).
Skolnick et al., "From Genes to Protein Structure and Function: Novel Applications of Computational Approaches in the Genomic Era," <i>Trends Biotechnol.</i> 18: 34-39 (2000).
Smith et al., "The Challenges of Genome Sequence Annotation or "The devil is in the details"," Nat. Biotechnol. 15: 1222-1223 (1997).
Strathmann et al., "G Protein Diversity: A Distinct Class of alpha Subunits is Present in Vertebrates and Invertebrates," <i>Proc. Natl. Acad. Sci. USA</i> 87: 9113-9117 (1990).
Strojek et al., "The Use of Transgenic Animal Techniques for Livestock Improvement," in: Genetic Engineering: Principles and Methods, vol. 10 (eds. J.K. Setlow et al.), pp. 221-246 (Plenum Press, New York, NY, 1988).
Stroop et al., "Chimeric Human Calcitonin and Glucagon Receptors Reveal Two Dissociable Calcitonin Interaction Sites," <i>Biochemistry</i> 34: 1050-1057 (1995).
Sunyaev et al., "From Analysis of Protein Structrual Alignments Toward a Novel Approach to Align Protein Sequences," Proteins 54: 569-582 (2004).
Suva et al., "A Parathyroid Hormone-Related Protein Implicated in Malignant Hypercalcemia: Cloning and Expression," Science 237: 893-896 (1987).
Szabo, "In Situ Hybridization," in: <i>Human Chromosomes: Manual of Basic Techniques</i> (eds. <i>R.S.</i> Verma et al.), pp. 152-165 (Pergamon Press, New York, NY,1989).
Takasu et al., "The 69-84 Amino Acid Region of the Parathyroid Homone Molecule is Essential for the Interaction of the Homone with the Binding Sites with CarboxyHerminal Specificity," <i>Endocrinology</i> 137: 5537-5543 (1996).
Takasu et al., "Human PTH/PTHrP Receptors and Type-2 PTH Receptors Show Discordant Selectivity for Human PTH Analogs with Amino-Terminal Modifications," Bone 23:S255, Abstract No. T223 (1998).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary)		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
(37 C.F.R. § 1.98(b))		IDS Filed	March 24, 2010

Takasu et al., "Phospholipase C Activation via the Human PTH/PTH/P Receptor Requires an Intact Amino- Terminus of Human PTH," Bone 23: S447, Abstract No. F148 (1998).
Takasu et al., "Type-1 Parathyroid Hormone (PTH)/PTH-Related Peptide (PTH/P) Receptors Activate Phospholipase C in Response to Carboxyl-fruncated Analogs of PTH(1-34)," Endocrinology 139: 4293-4299 (1998).
Takasu et al., "Dual Signaling and Ligand Selectivity of the Human PTH/PTHrP Receptor," J. Bone Miner. Res. 14: 11-20 (1999).
Tamura et al., "Parathyroid Hormone 1-34, but not 3-34 or 7-34, Transiently Translocates Protein Kinase C in Cultured Renal (OK) Cells," <i>Biochem. Biophys. Res. Commun.</i> 159: 1352-1358 (1989).
Tan et al., "Peptide Agonist Docking in the N-Terminal Ectodomain of a Class II G Protein-Coupled Receptor, the VPAC1 Receptor. Photoaffinity, NMR, and Molecular Modeling," <i>J. Biol. Chem.</i> 281: 12792-12798 (2006).
Treanor et al., "Characterization of a Multicomponent Receptor for GDNF," Nature 382: 80-83 (1996).
Tregear et al., "Synthetic Analogues of Residues 1-34 of Human Parathyroid Hormone: Influence of Residue Number 1 on Biological Potency in Vitro," <i>Endocr. Res. Commun.</i> 2: 581-570 (1975).
Tsomaia et al., "Cooperative Interaction of Arginine-19 and the N-Terminal Signaling Domain in the Affinity and Potency of Parathyroid Hormone," <i>Biochemistry</i> 43: 3459-3470 (2004).
Tsomala et al., "Toward Parathyroid Hormone Minimization: Conformational Studies of Cyclic PTH(1-14) Analogues," <i>Biochemistry</i> 43: 690-699 (2004).
Turner et al., "A Putative Selectivity Filter in the G-Protein-Coupled Receptors for Parathyroid Hormone and Secretin," J. Biol. Chem. 271: 9205-9208 (1996).
Turner et al., "Single Mutations Allow the PTH2 Receptor to Respond to PTHrP," J. Bone Miner. Res. 12: S133, Abstract No. 121 (1997).
Turner et al., "Transmembrane Residues Together with the Amino Terminus Limit the Response of the Parathyroid Hormone (PTH) 2 Receptor to PTH-Related Peptide," J. Biol. Chem. 273: 3830-3837 (1998).
Ullrich et al., "Signal Transduction by Receptors with Tyrosine Kinase Activity," Cell 61: 203-212 (1990).
 Unson et al., "Characterization of Deletion and Truncation Mutants of the Rat Glucagon Receptor Seven Transmembrane Segments are Necessary for Receptor Transport to the Plasma Membrane and Glucagon Binding," J. Biol. Chem. 270: 27720-27727 (1995).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	n if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449	DBS ITTO TE FORM PTO-1449 U.S. DEPARTMENT OF COMMERCE	Attorney Docket No.	00786/540002
(MODIFIED)		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

Ureña et al., "Regulation of Parathyroid Hormone (PTH)/PTH-Related Peptide Receptor Messenger Ribonucleic Acid by Glucocorticoids and PTH in ROS 17/2.8 and OK Cells," Endocrinology 134: 451-456 (1994).
Usdin et al., "Identification and Functional Expression of a Receptor Selectively Recognizing Parathyroid Hormone, the PTH2 Receptor," J. Biol. Chem. 270: 15455-15458 (1995).
Verma et al., "Gene Therapy- Promises, Problems and Prospects," Nature 389: 239-242 (1997).
Voet et al., "3. Chemical Evolution," in: Biochemistry (eds. D. Voet et al.), pp. 126-128 and 228-234 (Wiley, New York, NY, 1990).
Vogt et al., "An Assessment of Amino Acid Exchange Matrices in Aligning Protein Sequences: The Twilight Zone Revisited," J. Mol. Biol. 249: 816-831 (1995).
Wall, "Transgenic Livestock: Progress and Prospects for the Future," <i>Theriogenology</i> 45: 57-68 (1996).
Wang et al., "Rapid Analysis of Gene Expression (RAGE) Facilitates Universal Expression Profiling," Nucleic Acids Res. 27: 4609-4618 (1999).
Wells, "Additivity of Mutational Effects in Proteins," Biochemistry 29: 8509-8517 (1990).
Wells, "Hormone Mimicry," Science 273: 449-450 (1996).
Whitfield et al., "Restoration of Severely Depleted Femoral Trabecular Bone in Ovariectomized Rats by Parathyroid Hormone-(1-34)," Calcif. Tissue Int. 56: 227-231 (1995).
Whitfield et al., "Small Bone-Building Fragments of Parathyrold Hormone: New Therapeutic Agents for Osteoporosis," Trends Pharmacol. Sci. 16: 382-386 (1995).
Whitfield et al., "Stimulation of the Growth of Femoral Trabecular Bone in Ovariectomized Rats by the Novel Parathyroid Hormone Fragment, hPTH-(1-31)NH2 (Ostabolin)," Calcif. Tissue Int. 58: 81-87 (1996).
Whitfield et al., "Comparison of the Ability of Recombinant Human Parathyroid Hormone, inPTH-(1-84), and hPTH-(1-31)NH2 to Stimulate Femoral Trabecular Bone Growth in Ovariectomized Rats," Calof. Tissue Int. 50: 26-26 (1997).
Wigley et al., "Site-Specific Transgene Insertion: An Approach," Reprod. Fertil. Dev. 6: 585-588 (1994).
Wittelsberger et al., "The Mid-Region of Parathyroid Hormone (1-34) Serves as a Functional Docking Domain in Receptor Activation," <i>Biochemistry</i> 45: 2027-2034 (2006).

EXAMINER	DATE CONSIDERED
EXAMINER: Initial citation considered. Draw line through citation form with the next communication to applicant.	if not in conformance and not considered. Include copy of this

SUBSTITUTE FORM PTO-1449 (MODIFIED)	U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	Attorney Docket No.	00786/540002
		Serial No.	10/564,744
INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use several sheets if necessary) (37 C.F.R. § 1.98(b))		Applicant	Gardella et al.
		Filing Date	March 3, 2006
		Group	1654
		IDS Filed	March 24, 2010

Wrighton et al., "Small Peptides as Potent Mimetics of the Protein Hormone Erythropoletin," Science 273: 458-463 (1996).	
Wu et al., "Structural and Physiologic Characterization of the Mid-region Secretory Species of Parathyroid Hormone-Related Protein," <i>J. Biol. Chem.</i> 271: 24371-24381 (1996).	
Yamaguchi et al., "Parathyroid Hormone-Activated Calcium Channels in an Osteoblast-Like Clonal Osteosarcoma Cell Line: cAMP-Dependent and cAMP-Independent Calcium Channels," J. Biol. Chem. 282: 7711-7718 (1906).	
Yamamoto et al., "Characterization and Agonist-Induced Down-Regulation of Parathyroid Hormone Receptors in Clonal Rat Osteosarcoma Cells," <i>Endocrinology</i> 122:1208-1217 (1988).	
Yamamoto et al., "Parathyroid Hormone-Related Peptide-(1-34) [PTHrP-(1-34)] Induces Vasopressin Release from the Raf Supraoptic Nucleus in Vitro Through a Novel Receptor." Endocrinology 133. 2065-2072 (1997). Receptor."	
Yamamoto et al., "Centrally Administered Parathyroid Homone (PTH)-Related Protein(1-34) but not PTH(1-34) Stimulates Arginine-Vasopressin Secretion and its Messenger Rhomudeic Acid Expression in Suprapolio Nucleus of the Conscious Rais," Endocrinology 190: 383-383 (1996), Printled with ennoneous volume no. 139)	
Yan et al., "Two-Amino Acid Molecular Switch in an Epithelial Morphogen that Regulates Binding to Two Descriptors," Science 290: 523-527 (2000).	
Zhou et al., "Direct Mapping of an Agonist-Binding Domain within the Parathyrold Homone-Parathyrold Homone-Related Protein Receptor by Photoaffinity Crosslinking," <i>Proc. Natl. Acad. Sci. USA</i> 94: 3644-3649 (1997).	
International Search Report for PCT/US04/22830 (mailed March 18, 2005).	

	EXAMINER	DATE CONSIDERED
	EXAMINER: Initial citation considered. Draw fine through citation if not in conformance and not considered. Include copy of this form with the next communication to applicant.	